



**APPLICATION FOR PERMIT TO EXCAVATE LAND
IN THE CITY OF SAINT JOHN**
Growth & Community Development Services
City of Saint John



APPLICATION #		GIS Map Link	
APPLICATION BY		Zone	

NOTE: This form must be completed in its entirety in order to comply with Section 12.4 of the Zoning By-law of the City of Saint John.

LOCATION OF GRAVEL PIT/QUARRY:	
Civic Address:	
P I D #'s:	

NAME OF APPLICANT:			
Mailing Address:			
Phone No.:		Email:	

NAME OF PROPERTY OWNER: (IF DIFFERENT FROM APPLICANT)			
Mailing Address:			
Phone No.:		Email:	

Volume of materials to be removed (to Dec. 31 this year):

Date of commencement of excavation:	
-------------------------------------	--

Controls and methods to be employed for preventing	
Smoke:	
Dust:	
Odours:	
Toxic Materials:	
Vibration:	
Noise:	

BLASTING:	
Will blasting be conducted on the property?	
(If yes) Who will conduct the blasting?	
Who will monitor the blasting?	

SITE REHABILITATION:
Indicate the intended use of the property after excavation has ceased.

ONE OR MORE PLANS MUST BE PROVIDED TO A SCALE OF NOT LESS THAN 1 TO 1000, AND ON THESE MUST BE SHOWN THE FOLLOWING INFORMATION:

- Boundaries of property and its relation to existing streets and other properties.
- Existing land on a 2 meter contour interval.
- Location of existing natural watercourses and drainage areas as at the seasonal spring peak flow period.
- Location of existing power transmission line towers and other structures.
- Outline of area to be excavated.
- Location of proposed watercourses and drainage, including lakes, ponds and retention areas.
- Location of any buildings, equipment storage areas, etc.
- Location of fences.
- Location of exits, entrances and route to excavation area.
- Location and size of signs.
- Depth of the existing water table.
- Method of achieving a closed loop drainage system at the excavation area.
- Location of water source for use in dust control measures.
- Location of storage areas for explosive materials and hazardous materials.
- Location of treed berms and natural treed buffers.
- Location of storage areas for topsoil and overburden used in rehabilitation.

ONE OR MORE PLANS MUST BE PROVIDED ON A SCALE OF 1 TO 1000, INDICATING THE PROPOSED METHOD OF REHABILITATING THE LAND ACCORDING TO THE PROVISIONS OF THE BY-LAW. THE FOLLOWING INFORMATION MUST BE SHOWN ON THIS PLAN:

- The proposed contour intervals at not more than 2 meter intervals.
- The location, quantity, and type of trees, planting or other ground cover materials to be used.
- Details of all items and features pertaining to improvement and preservation of the land including retaining walls.
- The estimated date of commencement and completion of rehabilitating the land, the portion of land in which rehabilitation will commence and the time schedule for rehabilitating the balance of the land.

NOTE: When dealing with rehabilitation it is important to read sub-section (11) of Section 12.4 of the by-law dealing with rehabilitation.